

About Us

Newsroom

Advisory Board

Submit Web Site

Search Tips

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

("intradermal injections") AND ("plasma levels")

All journal sources All Web sources Exact phrase

Searched for:: The exact phrase:(**"intradermal injections"**) AND (**"plasma levels"**)

Found:: :15 total | [12 journal results](#) | [3 Web results](#)

Sort by:: :relevance | [date](#)

1. [Characterization of type I and type III collagens in human tissues](#)

Feb 2000

In addition, immunoassays for different structural domains of type I and type III collagens, together with immunohistochemical methods, were applied. In atherosclerotic plaques, the fully cross-linked type III collagen was the major collagen type.

[<http://herkules.oulu.fi/isbn9514255534/isbn9514255534....>] [similar results](#)

2. [PII: S0167-4781\(99\)00140-2](#)

Mar 2000

...performed with **intradermal injections** of ISIS 2105...following **intradermal** administration...intravitreal **injections**, little or...oligonucleotide in the **plasma** of treated...than the **plasma** compartment...subcutaneous **injections** [5,16]. 2...neous and **intradermal** doses. The...

[<http://www.bba-direct.com/bba/gene/53/27/33/article.pdf...>] [similar results](#)

3. [19941S11LBL](#)

Feb 2000

...for 24 hours, peak blood **levels** of lidocaine are approximately...3.3 g for 15 minutes. **Plasma** concentrations of lidocaine...could result in higher **plasma levels** that could, in susceptible...performed in neonates, the **plasma levels** of lidocaine, prilocaine...

[<http://www.fda.gov/CDER/foi/label/2000/19941S11LBL.PDF>] [similar results](#)

4. [A review of issues in the pharmacokinetics and toxicology of phosphorothioate antisense oligonucleotides](#)

Levin, A.A., Biochimica et Biophysica Acta (BBA)/Gene

Refine your search using these keywords found in the results:

[human plasma](#)

[phosphorothioate](#)

[oligonucleotide](#)

[progesterone](#)

[radioimmunoassay](#)

Or refine using:

Structure and Expression, Dec 1999

...following **intradermal** administration...intravitreal **injections**, little or...oligonucleotide in the **plasma** of treated...than the **plasma** compartment...subcutaneous **injections** [5,16...subcutaneous and **intradermal** doses.

The...intravenous, and **intradermal** administration...somewhat lower **levels** of oligodeoxynucleotide...intravenous **injections** of oligonucleotides...

Full text article available from SCIENCE @ DIRECT
[similar results](#)

5. Immunotherapy with interferon- γ and multidrug therapy for multibacillary leprosy

Barral-Netto, M. / Santos, S. / Santos, I. / von Sohsten, R. / Bittencourt, A.L. / Carvalho, E.M. / Barral, A. / Waters, M., *Acta Tropica*, Mar 1999
...30 days after beginning of treatment, **levels** of soluble IL-2R receptor increased in...treated with MDT alone. Soluble ICAM-1 **levels** decreased in the MDT group but did not...biopsy, bacillary index, serum antibody **levels** and peripheral blood mononuclear cell...

Full text article available from SCIENCE @ DIRECT
[similar results](#)

6. Constrictor responses of the rat basilar artery during diabetes mellitus

Mayhan, W.G., *Brain Research*, Feb 1998
...arginine vasopressin **Plasma** arginine vasopressin **levels** are elevated during...Brain found that **intradermal** **injections** of arginine vasopressin...controversy regarding **plasma levels** of endothelin during...elevations in **plasma levels** and/or local concentrations...

Full text article available from SCIENCE @ DIRECT
[similar results](#)

7. Non PUVA Nonsurgical Therapies for Vitiligo

Mandel, A.S. / Haberman, H.F. / Pawlowski, D. / Goldstein, E., *Clinics in Dermatology*, Nov 1997
...administered twice weekly for 10 to 12 **injections**.
A break of 2 to 4 weeks was followed...expansion or progression. The peak **plasma** level of L-Phe varied with dose and...time2425 however, an increased L-Phe in **plasma** level did not always improve the...

Full text article available from SCIENCE @ DIRECT
[similar results](#)

8. Plasma levels of progesterone in pseudopregnant rabbits actively immunized with a progesterone-protein conjugate.

A H Surve / I Bacso / J H Brinckerhoff / S J Kirsch, *Biol Reprod*, Oct 1976
...conjugate on **plasma** progesterone **levels** in rabbits...rabbits received **intradermal injections** and 7 received...Animals with high **levels** of antibody...again and daily **plasma** progesterone...in controls. **Plasma** progesterone **levels** in treated...

MEDLINE Citation on BioMedNet
MEDLINE

similar results

9. The evaluation and application of a radioimmunoassay for the measurement of diphenoxyllic acid, the major metabolite of...

Jackson, L.S. / Stafford, J.E.H., Journal of Pharmacological Methods, Nov 1987

...24 hr after dosing **plasma levels** had decreased to 14...the measurement of **plasma levels** of diphenoxyllic acid...the thigh. Booster **intradermal injections** containing initially...was collected. The **plasma** was separated and stored...

Full text article available from SCIENCE @ DIRECT

similar results

10. Radioimmunoassay of epitestosterone: Methodology, thermodynamic aspects and applications

Bilek, R. / Hampl, R. / Putz, Z. / Starka, L., Journal of Steroid Biochemistry, Dec 1987

...assay protocol. The mean **plasma** epitestosterone **levels** for healthy subjects were...immun- ized by multilateral **intradermal injections** with lower doses of the...the solution by numerous **intradermal injections** on to the dorsal area...

Full text article available from SCIENCE @ DIRECT

similar results

fast :::

Results Pages: [<< Prev] 1 2 [Next >>]

[back to top](#)

[Scirus Test Zone](#) | [Scirus Toolbar](#) | [Subscribe to Scirus News Updates](#)
[Advertising Information](#) | [Add Scirus to Your Website](#) | [Privacy Policy](#) | [Legal](#)

[Powered by FAST © Elsevier 2004](#)